





Fresh air in just a few seconds

Design Model: 402 07 149.2
Utility Models: 20 2004 010 435.0 - 20 2004 013 390.3
European Patent: 0 691 227

e 24
02*0964
ABE
KBA 19930



Due to the particular aerodynamic shape no spoiler is needed



With Thermostat included
POLAR CONTROL®
The only one that allows you to save up to 50% electricity thanks to the new electronic circuit. Turbo-Vent is silent at high speed and exceptionally silent at the minimum. Without the old resistance systems, which create a lot of heat and consume a lot of energy.

The Turbo-Vent is a ventilation system made from high quality materials, that are shock and UV-ray-resistant. It changes and refreshes the air inside your vehicle within seconds thanks to the 12V DC variable speed motor with 10 blades. It is the only one of its kind with an innovative electronic circuit that allows a rapid, problem-free, change of rotation.


The cover can be opened and closed manually and the central arm provides stability against strong wind even when travelling with the cover open. Supplied with double external mosquito screen to collect leaves and other debris. New transparent grating that permits maximum air circulation and filtering of light. Can be installed on roofs with depths of 3cm to 8.5cm using the optional extension kit.



Maximum stability with the center support adjusting arm

<p>EXTERNAL FIXING</p>	<p>AIR MAX</p> <p>31cm + 40%</p>	<p>PERMANENT VENTILATION</p>
-------------------------------	---	-------------------------------------


Model	Item No.
Turbo-Vent White	03622F01-
Turbo-Vent Crystal	03622F01B




Turbo-Vent White



Turbo-Vent Crystal



Turbo-Vent is available by request with internal fixing Sandwich System without screws.



POLAR CONTROL®

The standard delivered Polar Control is the thermostat that regulates the ingoing and outgoing air of the fan according to the inside temperature of the Motorhome. The switch changes the rotation direction of the fan.



Quiet at night thanks to the optimal minimum speed



New transparent grating allows maximum air flow and maximum protection.



Better performance and 50% less consumption thanks to the new electronic circuit and the new motor.

Feeding tension:	12 Vcc
Absorbed power	36 W
Min. electric input:	0,3 Amp.
Max electric input:	3 Amp
Max air flow:	35 m³/min.
Fan diameter:	300 mm
Permanent air flow:	80 cm²



TURBO-VENT® P3




Classic and inexpensive line of Turbo-Vent without thermostat.

Same features as the Turbo-Vent. Standard ventilation, without the automatic thermostat Polar Control. New transparent grating allows maximum air flow and passage of light.




Turbo-Vent P3 Crystal




Better performance and 50% less consumption thanks to the new electronic circuit

The switch changes the rotation direction of the fan

Feeding tension:	12 Vcc
Absorbed power:	36 W
Min. electric input:	0,3 Amp.
Max electric input:	3 Amp
Max air flow:	35 m³/min.
Fan diameter:	300 mm
Permanent air flow:	80 cm²



Due to the aerodynamic shape no spoiler is needed



Model	Item No.
Turbo-Vent P3 White	03622G01-
Turbo-Vent P3 Crystal	03622G01B

EXTERNAL FIXING

AIR MAX


+ 40%

PERMANENT VENTILATION

SANDWICH SYSTEM

Turbo-Vent is available by request with internal fixing Sandwich System without screws.

VENT®




Maximum stability with centre support adjusting arm
 Aerodynamic, thanks to its elegant external profile top.
 During high-speed testing noise and vibrations were greatly reduced.
 Thanks to the new outside cover and exclusive patented rubber seal, a watertight system guarantees rain streams down without the possibility of it coming in.
 TÜV and ABE approved.
 Made with high quality UV-ray resistant materials.
 Can be installed on roofs with depths of 2.5cm to max 5cm.
 For installation on roof with depths of max 8.5 cm, the optional extension kit (Item No. 98683-112) can be used.
 The Vent White does not need the roller blind.
 The optional Rollo Vent 40x40 can be fitted to the vent Crystal.
 Interchangeable with the old Fiamma Roof-lights 40x40 and with rooflight from 36x36cm to 42x42cm thanks to the reinforced frame.
 Supplied with permanent air flow ventilation and mosquito screen.

Extra quiet also at high speed

German Design Model: 402 07 149.2






Vent White



Vent Crystal



The cover can be easily replaced due to the quick installation hinges



Due to the aerodynamic shape no spoiler is needed

Model	Item No.
Vent White	04327B01-
Vent Crystal	04327B01D

Turbo-Vent is available by request with internal fixing Sandwich System without screws.


VENT® Accessories



Spoiler 40x40 on Vent 40x40 White


SPOILER 40X40

This special spoiler assists by channelling the air smoothly around your existing rooflight and thereby reducing both wind resistance and noise levels. It is made of UV-ray resistant ABS plastic. It is easily installed with the roof vent screws or can be attached with suitable adhesives (Sika 712). Designed to fit most sizes of rooflights using the spacers included.



Item No.


03585-01-



Thermo-vent 40

THERMO-VENT 40

Insulated vent shield. Keeps your RV warmer in the winter! Suitable for all rooflights 40x40. The aluminium surfaces assist by reflecting sunlight and by reducing heatloss. Dimensions: 40x40cm. Thickness: 6mm



Item No.

03650A01-



Rollo Vent 40x40

ROLLO VENT 40X40

New elegant roller blind system perfect for installing on Fiamma Vent 40x40 rooflights. Permanent air flow ventilation thanks to side grills. Low profile frame. 2 colours available.



Colour

Item No.

White


98683-033

Beige

98683-039

VENT® 28 - TURBO 28

ABE
KBA 19930




Vent 28 Crystal



VENT® 28

Ideal for small spaces

28x28cm rooflight, without fan, ideal for airing small spaces. Made with superior quality impact and UV-resistant materials. Due to an internal installation system, it is not necessary to drill holes in the vehicle. Supplied with permanent air flow ventilation system and mosquito screen. The external aerodynamic cover guarantees a watertight system. For installation on roof with depths of max 8.5cm, the optional extension kit can be used.



Vent 28 White



Colour	Item No.
White	04918-01-
Crystal	04918-01B



Turbo 28 Crystal

TURBO 28

Fresh air for your motorhome's bathroom and kitchen


Rooflight 28x28cm, with fan, is ideal for airing small spaces. Made with superior quality impact and UV-resistant materials. Supplied with permanent air flow ventilation system and mosquito screen



Turbo 28 White



Feeding tension:	12 Vcc
Absorbed power:	25 W
Max electric input:	1,9 Amp.
Max air flow:	6,3 m³/min.
Fan diameter:	170 mm
Permanent air flow:	50 cm²



Colour	Item No.
White	04919-01-
Crystal	04919-01B

VENT® 50x50




Vent 50x50 Crystal

VENT® 50x50

Wide pantograph rooflight that opens on all four sides with practical handles. Maintains constant vehicle ventilation and is now also available with standard roller blind with two rollers, one dark and one with mosquito screen. Assures permanent ventilation. Locking anti-theft device on the handles. Rainproof and windproof. TÜV and ABE approved, and made with high quality UV ray-resistant materials. Available in two colours.




Standard delivered with roller blind with two rollers, one dark and one with mosquito screen



SPOILER 60

New aerodynamic roof spoiler is ideal for reducing vibration and rooflight noise while travelling. Made with UV-ray resistant sturdy plastic material. No tools or drilling for installation; can be fixed to vehicle with a suitable adhesive (Sika 712). Colour: white. Ideal for all rooflights up to 60cm. Tested for speed up to 160km/h. Dim: cm 63x17x8h.



Vent 50x50 White

Colour	Item No.
White	01665-02-
Crystal	01665-02D

Optional roller blind with two rollers, one dark and one with mosquito screen for previous model of Vent 50x50. Dimensions: 55x55 cm.

Item No.
98683-037



Item No.
04585-01-